


Enquiry and Order Form No. 5 Aluminium Glass Frames for Sloping Doors

As at 8/26/24

Order

Enquiry





As at 8/26/24

Sloping door frame lengths: L1 mm L2 mm L4 mm L5 mm	$\frac{L^2}{L^4}$ Number of bevels left DIN right	L1 L4 L5 Number of bevels right DIN left pieces
Sloping door frame lengths:	Image: state stat	Image: Constraint of the set of the
Hinge set (1 hinge, 1 cross mounting plate and 1 cover cap)		
Door overlay mm		
Crank 0 (overlay) Number of sets	Crank 9.5 (half overlay) Number of sets	Crank 16 (inset) Number of sets
Hinge type:	Ded Undamped	Push to open



As at 8/26/24

Choose a filling panel!		
ESG - toughened safety	glass:	
Float	Satinato Mirror	
Float (extra white)	Satinato (extra white)	
Master-Carré	Float lacquered (extra white) Satinato lacquered (extra white)	
Float bronze	RAL RAL	
Float grey	digital print "wireframe look" *not for Grave and Amoroso	
Special Filling Panels	ass	
	email or select photo at www.stock.adobe.com)	
magnetic	,	
Glass drilling:	No Yes (please add sketch)	
Custom made - no return possible.		
Sketch:		
Customer no.	Company	
Contact person	Consignment no.	
Phone	Fax	
Date	Signature	